WEST

George State Comment of the Comment

Generate Collection

Search Results - Record(s) 1 through 3 of 3 returned.

1. Document ID: US 5630153 A

L2: Entry 1 of 3

File: USPT

May 13, 1997

US-PAT-NO: 5630153

DOCUMENT-IDENTIFIER: US 5630153 A

TITLE: Integrated digital signal processor/general purpose CPU with shared

internal memory

L2: Entry 1 of 3

File: USPT

May 13, 1997

US-PAT-NO: 5630153

DOCUMENT-IDENTIFIER: US 5630153 A

TITLE: Integrated digital signal processor/general purpose CPU with shared

internal memory

DATE-ISSUED: May 13, 1997

INT-CL: [6] G06F 9/26, G06F 9/40, G06F 9/44, G06F 13/36

US-CL-ISSUED: 395/800; 395/290, 395/306, 364/DIG.1, 364/DIG.2

US-CL-CURRENT: 712/35; 710/110, 710/126, 712/36

FIELD-OF-SEARCH: 395/800, 395/290, 395/200.01, 395/375, 395/200.03, 395/700, 395/289, 395/287, 395/297, 395/2.79, 395/183.19, 395/2.55, 395/775, 395/306,

364/DIG.1, 364/DIG.2, 364/706, 364/736, 364/726

Full Title Citation Front Review Classification Date Reference Claims KMIC Draw. Desc Image

2. Document ID: US 4799144 A

L2: Entry 2 of 3

File: USPT

Jan 17, 1989

US-PAT-NO: 4799144

DOCUMENT-IDENTIFIER: US 4799144 A

TITLE: Multi-function communication board for expanding the versatility of a

computer

L2: Entry 2 of 3

File: USPT

Jan 17, 1989

US-PAT-NO: 4799144

DOCUMENT-IDENTIFIER: US 4799144 A

TITLE: Multi-function communication board for expanding the versatility of a

computer

DATE-ISSUED: January 17, 1989

INT-CL: [4] G06F 3/16

US-CL-ISSUED: 364/200; 379/284

US-CL-CURRENT: 710/2; 379/284, 379/388, 379/88.01, 379/88.07, 379/908, 704/275,

712/33, 712/38, 712/43

FIELD-OF-SEARCH: 364/2MSFile, 364/9MSFile, 381/36-40, 340/825.19, 179/6.08,

179/6.06, 179/18BC, 179/18G, 379/88, 379/89, 379/96, 379/284, 379/97

Full Title Citation Front Review Classification Date Reference

KMMC - Draw, Desc - Image |

3. Document ID: US 4467414 A

L2: Entry 3 of 3

File: USPT

Aug 21, 1984

US-PAT-NO: 4467414

DOCUMENT-IDENTIFIER: US 4467414 A

TITLE: Cashe memory arrangement comprising a cashe buffer in combination with

a pair of cache memories

L2: Entry 3 of 3

File: USPT

Aug 21, 1984

US-PAT-NO: 4467414

DOCUMENT-IDENTIFIER: US 4467414 A

TITLE: Cashe memory arrangement comprising a cashe buffer in combination with a

pair of cache memories

DATE-ISSUED: August 21, 1984

INT-CL: [3] G06F 13/00 US-CL-ISSUED: 364/200 US-CL-CURRENT: 711/119

FIELD-OF-SEARCH: 364/2MSFile, 364/9MSFile

Title Citation Front Review Classification Date Reference

KWIC Draw, Desc Image

Generate Collection

Term	Documents
"5630153".USPT.	1
5630153S	0
"4467414".USPT.	1
4467414S	0
"4799144".USPT.	1
4799144S	0
((("5630153".PN.) OR ("4467414".PN.)) OR ("4799144".PN.)).USPT.	3

Display

20 Documents, starting with Document: 3

Display Format: TI, CI

Change Format



Generate Collection

Search Results - Record(s) 1 through 10 of 10 returned.

1. Document ID: US 6061779 A

L5: Entry 1 of 10

File: USPT

May 9, 2000

US-PAT-NO: 6061779

DOCUMENT-IDENTIFIER: US 6061779 A

TITLE: Digital signal processor having data alignment buffer for performing

unaligned data accesses

Full Title Citation Front Review Classification Date Reference

KMMC Draw. Desc Image

2. Document ID: US 5996059 A

L5: Entry 2 of 10

File: USPT

Nov 30, 1999

US-PAT-NO: 5996059

DOCUMENT-IDENTIFIER: US 5996059 A

TITLE: System for monitoring an execution pipeline utilizing an address

pipeline in parallel with the execution pipeline

Full Title Citation Front Review Classification Date Reference

KWWC Draw, Desc Image

3. Document ID: US 5954811 A

L5: Entry 3 of 10

File: USPT

Sep 21, 1999

US-PAT-NO: 5954811

DOCUMENT-IDENTIFIER: US 5954811 A

TITLE: Digital signal processor architecture

Full Title Citation Front Review Classification Date Reference

1000C Draw, Desc Image

4. Document ID: US 5930158 A

L5: Entry 4 of 10

File: USPT

Jul 27, 1999

US-PAT-NO: 5930158

DOCUMENT-IDENTIFIER: US 5930158 A

TITLE: Processor with instruction set for audio effects

Full Title Citation Front Review Classification Date Reference

KWMC - Draw, Desc - Image

5. Document ID: US 5896543 A

L5: Entry 5 of 10

File: USPT

Apr 20, 1999

US-PAT-NO: 5896543

DOCUMENT-IDENTIFIER: US 5896543 A

TITLE: Digital signal processor architecture

Full Title Citation Front Review Classification Date Reference

KWIC Draw Desc Image

6. Document ID: US 5768553 A

L5: Entry 6 of 10

File: USPT

Jun 16, 1998

US-PAT-NO: 5768553

DOCUMENT-IDENTIFIER: US 5768553 A

TITLE: Microprocessor using an instruction field to define DSP instructions

Full Title Citation Front Review Classification Date Reference

KWMC Draw. Desc Image

7. Document ID: US 5752073 A

L5: Entry 7 of 10

File: USPT

May 12, 1998

US-PAT-NO: 5752073

DOCUMENT-IDENTIFIER: US 5752073 A

TITLE: Digital signal processor architecture

Full Title Citation Front Review Classification Date Reference

KMC Draw Desc Image

8. Document ID: US 5638306 A

L5: Entry 8 of 10

File: USPT

Jun 10, 1997

US-PAT-NO: 5638306

DOCUMENT-IDENTIFIER: US 5638306 A

TITLE: Testing hooks for testing an integrated data processing system

Full Title Citation Front Review Classification Date Reference

KMC Draw Desc Image

9. Document ID: US 5625828 A

L5: Entry 9 of 10

File: USPT

Apr 29, 1997



US-PAT-NO: 5625828

DOCUMENT-IDENTIFIER: US 5625828 A

TITLE: Parallel operating CPU core and DSP module for executing sequence of vector DSP code instructions to generate decoded constellation points in

QAM/TCM modem application

Title Citation Front Review Classification Date Reference

KWMC - Draww Dieso - Image |

10. Document ID: US 4686622 A

L5: Entry 10 of 10

File: USPT

Aug 11, 1987

US-PAT-NO: 4686622

DOCUMENT-IDENTIFIER: US 4686622 A

TITLE: Computer system architecture using serial communication

Title Citation Front Review Classification Date Reference

KOMC - Draw, Desc - Image

Generate Collection

Term	Documents
DIGITAL.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	697274
DIGITALS.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	206
SIGNAL.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	2735964
SIGNALS.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	1340888
DSP.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	16772
DSPS.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	1885
GENERAL.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	1293801
GENERALS.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	120
PURPOSE.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	1031348
PURPOSES.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	855131
((DIGITAL NEAR1 SIGNAL OR DSP) NEAR12 (GENERAL NEAR1 PURPOSE OR HOST OR MASTER OR MAIN) AND OPERAND\$ NEAR5 LOAD\$4 AND IDENTIF\$5 NEAR5 INSTRUCTION\$).USPT,PGPB,JPAB,EPAB,DWPI,TDBD.	10


There are more results than shown above. Click here to view the entire set.

Display

20 Documents, starting with Document: 10

Display Format: TI

Change Format



Search Results -

Term	Documents
DIGITAL.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	697274
DIGITALS.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	206
SIGNAL.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	2735964
SIGNALS.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	1340888
DSP.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	16772
DSPS.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	1885
GENERAL.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	1293801
GENERALS.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	120
PURPOSE.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	1031348
PURPOSES.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	855131
((DIGITAL NEAR1 SIGNAL OR DSP) NEAR12 (GENERAL NEAR1 PURPOSE OR HOST OR MASTER OR MAIN) AND OPERAND\$ NEAR5 LOAD\$4 AND IDENTIF\$5 NEAR5 INSTRUCTION\$).USPT,PGPB,JPAB,EPAB,DWPI,TDBD.	10

There are more results than shown above. Click here to view the entire set.

US Patents Full-Text Database
US Pre-Grant Publication Full-Text Database
JPO Abstracts Database
EPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Database:

	(digital near1 signal or dsp) near12	_	
Refine Search:	(general nearl purpose or host or master or main) and operand\$ near5	₹	Clear
······································			-

Search History

Today's Date: 5/23/2001

DB Name	Query	<u>Hit</u> Count	<u>Set</u> <u>Name</u>
USPT,PGPB,JPAB,EPAB,DWPI,TDBD	(digital near1 signal or dsp) near12 (general near1 purpose or host or master or main) and operand\$ near5 load\$4 and identif\$5 near5 instruction\$	10	<u>L5</u>
USPT,PGPB,JPAB,EPAB,DWPI,TDBD	(digital near1 signal or dsp) near12 (general near1 purpose or host or master or main) and operand\$ near5 load\$4	83	<u>L4</u>
USPT,PGPB,JPAB,EPAB,DWPI,TDBD	(digital near1 signal or dsp) near12 (general near1 purpose or host or master or main)	6310	<u>L3</u>
USPT	5630153.pn. or 4467414.pn. or 4799144.pn.	3	<u>L2</u>
USPT	5630153.pn. or 4467414.pn. or 4799144.pn.	3	<u>L1</u>